## AR-CO CHIMICA S.R.L. | Revision nr. 2 | | Dated 14/06/2017 | | Printed on 15/06/2017 | | Page n. 1/12 |

## Safety data sheet

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name BULL BLACK

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use WAX FLOOR ONLY FOR INDUSTRIAL/PROFESSIONAL USE. Polyacrylic emulsion suitable for black studded

rubber floors.

1.3. Details of the supplier of the safety data sheet

Name AR-CO CHIMICA S.R.L.
Full address Via Canalazzo , 22/24
District and Country 41036 MEDOLLA (MO)

**ITALY** 

Tel. 0535-58890 Fax 0535-58898

e-mail address of the competent person

1.4. Emergency telephone number

For urgent inquiries refer to Numeri telefonici dei principali Centri Antiveleni italiani ( attivi 24/24 ore)

Centro Antiveleni di Milano 02 66101029 (CAV Ospedale Niguarda Ca` Granda -Milano)

(H24)

Centro Antiveleni di Pavia 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia)
Centro Antiveleni di Bergamo 800 883300 (CAV Ospedali Riuniti - Bergamo)
Centro Antiveleni di Firenze 055 7947819 (CAV Ospedale Careggi - Firenze)
Centro Antiveleni di Roma 06 3054343 (CAV Policlinico Gemelli - Roma)
Centro Antiveleni di Roma 06 49978000 (CAV Policlinico Umberto I - Roma)
Centro Antiveleni di Napoli 081 7472870 (CAV Ospedale Cardarelli - Napoli)

AR-CO CHIMICA S.R.L.:

+39 053547141 (ORE UFFICIO / OFFICE HOURS 08:00 - 12:30 / 14:00 -17:30)

## **SECTION 2. Hazards identification**

## 2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to EC Regulation 1907/2006 and subsequent amendments. Hazard classification and indication:

#### 2.2. Label elements

Hazard labelling pursuant to EC Re	gulation 1272/2008 (CI	LP) and subsequent	amendments and supplements.

Hazard pictograms: --

Signal words: --

Revision nr. 2

Dated 14/06/2017

Printed on 15/06/2017

Page n. 2/12

**BULL BLACK** 

Hazard statements:

EUH210

Safety data sheet available on request.

Precautionary statements:

--

Ingredients according to Regulation (EC) No. 648/2004

perfumes

Preservatives: 1,2-Benzisothiazolin-3-one / Methylisothiazolinone

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

## **SECTION 3. Composition/information on ingredients**

#### 3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

The full wording of hazard (H) phrases is given in section 16 of the sheet.

Identification

x = Conc. %

Classification 1272/2008 (CLP)

## DIPROPYLENE GLYCOL MONOMETHYL ETHER

CAS 34590-94-8

1 ≤ x < 5

Substance with a community workplace exposure limit.

EC 252-104-2

INDEX

Reg. no. 01 2119450011-60

## **SECTION 4. First aid measures**

#### 4.1. Description of first aid measures

Not specifically necessary. Observance of good industrial hygiene is recommended.

## 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

# AR-CO CHIMICA S.R.L. | Revision nr. 2 | | Dated 14/06/2017 | | Printed on 15/06/2017 | | Page n. 3/12 |

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

## **SECTION 5. Firefighting measures**

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

## 5.3. Advice for firefighters

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## **SECTION 6. Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

AR-CO CHIMICA S.R.L.	Revision nr. 2	
	Dated 14/06/2017	
BULL BLACK	Printed on 15/06/2017	
_	Page n. 4/12	

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

Information not available

## **SECTION 8. Exposure controls/personal protection**

## 8.1. Control parameters

Regulatory References:

DEU	Deutschland	MAK-und BAT-Werte-Liste 2012
ESP	España	INSHT - Límites de exposición profesional para agentes químicos en España 2015
		·
FRA	France	JORF n°0109 du 10 mai 2012 page 8773 texte n° 102
GBR	United Kingdom	EH40/2005 Workplace exposure limits
GRC	Ελλάδα	ΕΦΗΜΕΡΙΣ ΤΗΣ ΚΥΒΕΡΝΗΣΕΩΣ -ΤΕΥΧΌΣ ΠΡΩΤΟ Αρ. Φύλλου 19 - 9
		Φεβρουαρίου 2012
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
NOR	Norge	Veiledning om Administrative normer for forurensning i arbeidsatmosfære
PRT	Portugal	Ministério da Economia e do Emprego Consolida as prescrições mínimas

Revision nr. 2

Dated 14/06/2017

Printed on 15/06/2017

Page n. 5/12

**BULL BLACK** 

em matéria de protecção dos trabalhadores contra os riscos para a

segurança e a saúde devido à exposição a agentes químicos no trabalho -

Diaro da Republica I 26; 2012-02-06

SVN Slovenija Uradni list Republike Slovenije 15. 6. 2007

EU OEL EU Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC;

Directive 2004/37/EC; Directive 2000/39/EC; Directive 91/322/EEC.

TLV-ACGIH ACGIH 2016

DIPROPYLENE GLYCOL MONOMETHYL ETHER								
Threshold Limit Value Type	Country	TWA/8h		STEL/15min	1			
21	,	mg/m3	ppm	mg/m3	ppm			
AGW	DEU	310	50	310	50			
MAK	DEU	310	50	310	50			
VLA	ESP	308	50			SKIN		
VLEP	FRA	308	50			SKIN		
WEL	GBR	308	50			SKIN		
TLV	GRC	600	100	900	150			
VLEP	ITA	308	50			SKIN		
TLV	NOR	300	50			SKIN		
VLE	PRT	308	50			SKIN		
MV	SVN	308	50			SKIN		
OEL	EU	308	50			SKIN		
TLV-ACGIH		606	100	909	150	SKIN		
Predicted no-effect concen	ntration - PNEC							
Normal value in fresh wate Normal value in marine wa Normal value for fresh wate Normal value for marine water, into Normal value of STP micro Normal value for the terres	er ater er sediment ater sediment ermittent release porganisms			19 1,9 70,2 7,02 190 4168 2,74		mg/l mg/k mg/k; mg/l mg/l mg/k;	g	
Health - Derived no-ef		DMEL Acute systemic	Chronic local	Chronic	Effects on workers Acute local	Acute	Chronic local	Chronic

systemic

36 mg/kg bw/d

37,2 mg/m3

121 mg/kg

bw/d

systemic

VND

VND

systemic

308 mg/m3

283 mg/kg

bw/d

Legend:

Oral

Skin

Inhalation

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

VND

VND

VND

### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

#### 

#### HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374). Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

#### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

#### **ENVIRONMENTAL EXPOSURE CONTROLS**

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## **SECTION 9. Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance liquid Colour black Odour **TECHNICAL** Odour threshold Not available 8 5+/-0 6 Melting point / freezing point Not available Initial boiling point Not available Boiling range Not available Not available Flash point **Evaporation Rate** Not available Flammability of solids and gases Not available Lower inflammability limit Not available Upper inflammability limit Not available Lower explosive limit Not available Upper explosive limit Not available Vapour pressure Not available Vapour density Not available Relative density 1.015+/-0.012

Solubility IN ALL PROPORTIONS

Partition coefficient: n-octanol/water
Auto-ignition temperature
Decomposition temperature
Viscosity
Explosive properties
Oxidising properties
Not available
Not available
Not available
Not available

#### 9.2. Other information

Information not available

## **SECTION 10. Stability and reactivity**

#### Revision nr. 2 AR-CO CHIMICA S.R.L. Dated 14/06/2017 Printed on 15/06/2017 **BULL BLACK** Page n. 7/12

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

#### DIPROPYLENE GLYCOL MONOMETHYL ETHER

May react with: oxidising substances.When heated to decomposition releases: harsh fumes,zinc alloys.

## 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

## 10.5. Incompatible materials

Information not available

#### 10.6. Hazardous decomposition products

Information not available

## **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.
It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological

effects of exposure to the product.

#### 11.1. Information on toxicological effects

**BULL BLACK** 

Revision nr. 2

Dated 14/06/2017

Printed on 15/06/2017

Page n. 8/12

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation) of the mixture: Not classified (no significant component)

LD50 (Oral) of the mixture: Not classified (no significant component)

LD50 (Dermal) of the mixture: Not classified (no significant component)

DIPROPYLENE GLYCOL MONOMETHYL ETHER

> 5000 mg/kg > 5000 mg/kg LD50 (Oral) 9510 mg/kg LD50 (Dermal) 3,35 mg/l/7h LC50 (Inhalation)

#### SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

## **SECTION 12. Ecological information**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

## 12.1. Toxicity

DIPROPYLENE GLYCOL MONOMETHYL ETHER

LC50 - for Fish > 1000 mg/l/96h Poecilia reticulata
EC50 - for Crustacea 1919 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic > 969 mg/l/72h Pseudokirchneriellla subcapitata

Plants

Chronic NOEC for Crustacea > 0,5 mg/l Daphnia magna

#### 12.2. Persistence and degradability

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Solubility in water 1000 - 10000 mg/l

Revision nr. 2

Dated 14/06/2017

Printed on 15/06/2017

Page n. 9/12

## **BULL BLACK**

Rapidly biodegradable

#### 12.3. Bioaccumulative potential

DIPROPYLENE GLYCOL

MONOMETHYL ETHER
Partition coefficient: n-

0,0043

octanol/water

**BCF** 

< 100

12.4. Mobility in soil

DIPROPYLENE GLYCOL

MONOMETHYL ETHER

Partition coefficient: 0,28

soil/water

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

#### 12.6. Other adverse effects

Information not available

## **SECTION 13. Disposal considerations**

## 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

#### 14.1. UN number

Not applicable

#### 14.2. UN proper shipping name

AR-CO CHIMICA S.R.L.	Revision nr. 2		
7111 00 0111111111111111111111111111111	Dated 14/06/2017		
BULL BLACK	Printed on 15/06/2017  Page n. 10/12		
Not applicable			
14.3. Transport hazard class(es)			
Not applicable			
14.4. Packing group			
14.4. Facking group			
Not applicable			
14.5. Environmental hazards			
Not applicable			
тчот аррпоавте			
14.6. Special precautions for user			
Not applicable			
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code			
14.7. Transport in bank according to Annex it of marper and the 120 code			
Information not relevant			
SECTION 15. Regulatory information			
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
Seveso Category - Directive 2012/18/EC: None			
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006			
None			
Substances in Candidate List (Art. 59 REACH)			
On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.			
Substances subject to authorisarion (Annex XIV REACH)			
None			
Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:			

## AR-CO CHIMICA S.R.L. | Revision nr. 2 | | Dated 14/06/2017 | | Printed on 15/06/2017 | | Page n. 11/12

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

#### 15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

## **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

EUH210 Safety data sheet available on request.

## LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- · CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation

#### Revision nr. 2 AR-CO CHIMICA S.R.L. Dated 14/06/2017 Printed on 15/06/2017 **BULL BLACK** Page n. 12/12

WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified:

08.