AR-CO CHIMICA S.R.L.		Revision nr. 1	
		Dated 1/10/2014	
DRY CLEAN		Printed on 02/10/2014	
		Page n. 1/8	
	Safety data sheet		
	Carefy data chect		
SECTION 1. Identification of the sub	stance/mixture and of the company/unde	rtaking	
1.1. Product identifier Product name	DRY CLEAN		
1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use DETERGENT ONLY FOR INDUSTRIAL / PROFESSIONAL USING LIQUID DETERGENT FOR STEEL			
1.3. Details of the supplier of the safety data sheet			
Name Full address	AR-CO CHIMICA S.R.L.		
District and Country	Via Canalazzo 22/24 41036 MEDOLLA (MO) ITALY		
	Tel. +39 053558890		
	Fax +39 053558898		
e-mail address of the competent person			
responsible for the Safety Data Sheet Product distribution by	reach@arcochimica.it AR-CO CHIMICA		
1.4. Emergency telephone number For urgent inquiries refer to	Numeri telefonici dei principali Centri Antiveleni italiani Antiveleni di Milano 02 66101029 (CAV Ospedale Nigua (H24)Centro Antiveleni di Pavia 0382 24444 (CAV IRCC Pavia)Centro Antiveleni di Bergamo 800 883300 (CAV O Bergamo)Centro Antiveleni di Firenze 055 7947819 (CA Firenze)Centro Antiveleni di Roma 06 3054343 (CAV Po Antiveleni di Roma 06 49978000 (CAV Policlinico Umbe Napoli 081 7472870 (CAV Ospedale Cardarelli - Napoli), ORE UFFICIO / OFFICE HOURS 08:00-12:30 / 14:00-17:3	rda Ca` Granda -Milano) 5 Fondazione Maugeri - 0spedali Riuniti - V Ospedale Careggi - liclinico Gemelli - Roma)Centro orto I - Roma)Centro Antiveleni di AR-CO CHIMICA+39 053558890 (
SECTION 2. Hazards identification.			
2.1. Classification of the substance or mixture.	the provisions set forth in EC Regulation 1272/2008 (CLP	b (and subsequent amendments and	
	zardous substances in concentrations such as to be declare		

2.1.1. Regulation 1272/2008 (CLP) and following amendments and adjustments. Hazard classification and indication:

2.2. Label elements.

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms: --Signal words: ---EUH208 Contains:

AR-CO C	HIMICA S.R.L.		Revision nr. 1 Dated 1/10/2014
	CLEAN		Printed on 02/10/2014
			Page n. 2/8
LEMON OIL, (R)-p-menth	a-1,8-diene		
May produce an allergic re	eaction.		
Precautionary statements:			
2.3. Other hazards.			
Information not available.			
SECTION 3. Composition/informatio	n on ingredients.		
3.1. Substances.			
Information not relevant.			
3.2. Mixtures.			
Contains:			
Identification. DIPROPYLENE GLYCOL MONOMETHYL ETHER	Conc. %. Classification 67	548/EEC. Classif	ication 1272/2008 (CLP).
CAS. 34590-94-8	1 - 5	Substance limit.	e with a community workplace exposure
EC. 252-104-2			
INDEX			
Reg. no. 01 2119450011-60			
Note: Upper limit is not included into the range.			
The full wording of the Risk (R) and hazard (H) phrases T+ = Very Toxic(T+), T = Toxic(T), Xn = Harmful(λ Flammable(F+), F = Highly Flammable(F), N = Danger	(n), C = Corrosive(C), Xi = Irritant(Xi)	, $O = Oxidizing(O)$,	E = Explosive(E), F+ = Extremely
SECTION 4. First aid measures.			
4.1. Description of first aid measures.			
Not specifically necessary. Observance of good industr	ial hygiene is recommended.		
4.2. Most important symptoms and effects, both a	cute and delayed.		
No episodes of damage to health ascribable to the proc	luct have been reported.		
4.3. Indication of any immediate medical attention	and special treatment needed.		
Information not available.			
SECTION 5. Firefighting measures.			
5.1. Extinguishing media.			

AR-CO CHIMICA S.R.L.	Revision nr. 1
	Dated 1/10/2014
DRY CLEAN	Printed on 02/10/2014
	Page n. 3/8

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

7.2. Conditions for safe storage, including any incompatibilities.

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

AR-CO CHIMICA S.R.L.

Revision nr. 1

Dated 1/10/2014 Printed on 02/10/2014

DRY CLEAN

Page n. 4/8

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Regulatory References:

United Kingdom	EH40/2005 Workplace exposure limits. Containing the list of workplace exposure
-	limits for use with the Control of Substances Hazardous to Health Regulations (as
	amended).
Éire	Code of Practice Chemical Agent Regulations 2011.
OEL EU	Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive
	2000/39/EC.
TLV-ACGIH	ACGIH 2012

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Country	TWA/8h		STEL/15min		
	mg/m3	ppm	mg/m3	ppm	
UK	308	50			SKIN
IRL	308	50			SKIN
EU	308	50			SKIN
	606	100	909 (C)	150 (C)	
	UK IRL	mg/m3 UK 308 IRL 308 EU 308	mg/m3 ppm UK 308 50 IRL 308 50 EU 308 50	mg/m3 ppm mg/m3 UK 308 50 IRL 308 50 EU 308 50	mg/m3 ppm mg/m3 ppm UK 308 50 50 IRL 308 50 50 EU 308 50 50

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear

AR-CO CHIMICA S.R.L.

Revision nr. 1

Dated 1/10/2014

DRY CLEAN

Printed on 02/10/2014 Page n. 5/8

open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

9.2. Other information.

Information not available.

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

DIPROPYLENE GLYCOL MONOMETHYL ETHER: may react with oxidising agents. When heated to decomposition it releases harsh and irritating fumes and vapours.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

Revision nr. 1

Dated 1/10/2014 Printed on 02/10/2014

DRY CLEAN

Page n. 6/8

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

12.1. Toxicity. Information not available.

12.2. Persistence and degradability.

Information not available.

12.3. Bioaccumulative potential.

Information not available.

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%. **12.6. Other adverse effects.**

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

	AR-CO CHIMICA S.R.L.	Revision nr. 1
		Dated 1/10/2014
	DRY CLEAN	Printed on 02/10/2014 Page n. 7/8
Avoid littering. Do not contaminate s	soil, sewers and waterways.	
CONTAMINATED PACKAGING Contaminated packaging must be re	ecovered or disposed of in compliance with national waste manage	gement regulations.
SECTION 14. Transport	t information.	
The product is not dangerous unde the International Maritime Dangerou	er current provisions of the Code of International Carriage of Dar is Goods Code (IMDG), and of the International Air Transport As	ngerous Goods by Road (ADR) and by Rail (RID), of sociation (IATA) regulations.
SECTION 15. Regulator	ry information.	
	- mental regulations/legislation specific for the substance or r	nixture.
Seveso category.	None.	
Restrictions relating to the product of	or contained substances pursuant to Annex XVII to EC Regulation	<u>1907/2006.</u>
None.		
Substances in Candidate List (Art. 5	59 REACH).	
None.		
Substances subject to authorisarion	I (Annex XIV REACH).	
None.		
Substances subject to exportation re	eporting pursuant to (EC) Reg. 649/2012:	
None.		
Substances subject to the Rotterdar	m Convention:	
None.		
Substances subject to the Stockholr	m Convention:	
None.		
Healthcare controls.		
Information not available.		
Ingredients according to Regulation	(EC) No 648/2004	
30 % and more aliphatic hydr	ocarbons	
perfumes, Citral, Limonene		
15.2. Chemical safety assessme	ent.	
No cnemical safety assessment has	s been processed for the mixture and the substances it contains.	

Revision nr. 1 **AR-CO CHIMICA S.R.L.** Dated 1/10/2014 Printed on 02/10/2014 **DRY CLEAN** Page n. 8/8

SECTION 16. Other information.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- **OEL: Occupational Exposure Level**
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).
- GENERAL BIBLIOGRAPHY
- 1. Directive 1999/45/EC and following amendments
- 2. Directive 67/548/EEC and following amendments and adjustments
- 3. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 4. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 5. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 6. Regulation (EC) 453/2010 of the European Parliament
- 7. Regulation (EC) 286/2011 (II Atp. CLP) of the European Parliament 8. Regulation (EC) 618/2012 (III Atp. CLP) of the European Parliament
- 9. The Merck Index. 10th Edition
- 10. Handling Chemical Safety
- 11. Niosh Registry of Toxic Effects of Chemical Substances
- 12. INRS Fiche Toxicologique (toxicological sheet)
- 13. Patty Industrial Hygiene and Toxicology
- 14. N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- 15. ECHA website
- Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified:

02 / 04 / 05 / 06 / 08 / 11 / 12.