AR-CO C	Revision nr. 1				
	Dated 3/11/2014 Printed on 06/11/2014				
PLUMATIC 1 COLOR		Page n. 1/9			
	Safety data sheet				
SECTION 1. Identification of the sub	stance/mixture and of the company/unde	rtaking			
1.1. Product identifier					
Product name	PLUMATIC 1 COLOR				
1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use DETERGENT ONLY FOR INDUSTRIAL / PROFESSIONAL USING CONCENTRATED LIQUID DETERGENT WITH HIGH CONCENTRATIONS OF SURFACTANTS					
1.3. Details of the supplier of the safety data sheet					
Name Full address	AR-CO CHIMICA S.R.L. Via Canalazzo 22/24				
District and Country	41036 MEDOLLA (MO) ITALY				
	Tel. +39 053558890				
	Fax +39 053558898				
e-mail address of the competent person					
responsible for the Safety Data Sheet Product distribution by	reach@arcochimica.it AR-CO CHIMICA				
1.4. Emergency telephone number For urgent inquiries refer to	Numeri telefonici dei principali Centri Antiveleni italiar Antiveleni di Milano 02 66101029 (CAV Ospedale Nigua (H24)Centro Antiveleni di Pavia 0382 24444 (CAV IRCC Pavia)Centro Antiveleni di Bergamo 800 883300 (CAV 0 Bergamo)Centro Antiveleni di Firenze 055 7947819 (CA Firenze)Centro Antiveleni di Roma 06 3054343 (CAV Po Antiveleni di Roma 06 49978000 (CAV Policlinico Umb Napoli 081 7472870 (CAV Ospedale Cardarelli - Napoli) ORE UFFICIO / OFFICE HOURS 08:00-12:30 / 14:00-17:	arda Ca` Granda -Milano) S Fondazione Maugeri - Ospedali Riuniti - AV Ospedale Careggi - oliclinico Gemelli - Roma)Centro erto I - Roma)Centro Antiveleni di)AR-CO CHIMICA+39 053558890 (
SECTION 2. Hazards identification.					
2.1. Classification of the substance or mixture.					
The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.					
2.1.1. Regulation 1272/2008 (CLP) and following amendments and adjustments.					
Hazard classification and indication: Eye Dam. 1	H318				
2.1.2. 67/548/EEC and 1999/45/EC Directives and following amendments and adjustments. Danger Symbols: Xi R phrases:					
41					
The full wording of the Risk (R) and hazard (H) phrases is given in section 16 of the sheet.					

AR-CO CHIMICA S.R.L. PLUMATIC 1 COLOR			Revision nr. 1 Dated 3/11/2014	
			DR	Printed on 06/11/2014 Page n. 2/9
2.2. Label elements.				
azard labelling pursuant	to EC Regulation 1272/200	8 (CLP) and subse	equent amendments and supplement	nts.
Signal words:	Danger			
H318	Causes serious eye damage.			
P280 P305+P351+P338	Wear protective gloves / protective clothing / eye protection / face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue			
P310	rinsing. Immediately call a POIS	ON CENTER or do	octor / physician.	
Contains:	C12-C 15ALCOHOL ETHOXYLATES >6-9 EO			
formation not available. SECTION 3. Com	nposition/informati	on on ingred	lients.	
3.1. Substances.				
formation not relevant.				
3.2. Mixtures.				
3.2. Mixtures. ontains: Identification.	HOXYLATES >6-9 EO	Conc. %.	Classification 67/548/EEC.	Classification 1272/2008 (CLP).
3.2. Mixtures. ontains: Identification. C12-C 15ALCOHOL ETI CAS. 106232-83-1	HOXYLATES >6-9 EO	Conc. %. 9 - 25	Classification 67/548/EEC. Xn R22, Xi R41, N R50	Classification 1272/2008 (CLP). Acute Tox. 4 H302, Eye Dam. 1 H318, Aquatic Acute 1 H400 M=1
3.2. Mixtures. ontains: Identification. C12-C 15ALCOHOL ET CAS. 106232-83-1 EC INDEX				Acute Tox. 4 H302, Eye Dam. 1 H318, Aquatic
iformation not relevant. 3.2. Mixtures. contains: Identification. C12-C 15ALCOHOL ETI CAS. 106232-83-1 EC INDEX FATTY ALCOHOL ETHO CAS. 69011-36-5				Acute Tox. 4 H302, Eye Dam. 1 H318, Aquatic
3.2. Mixtures. ontains: Identification. C12-C 15ALCOHOL ETI CAS. 106232-83-1 EC INDEX FATTY ALCOHOL ETHO CAS. 69011-36-5 EC		9 - 25	Xn R22, Xi R41, N R50	Acute Tox. 4 H302, Eye Dam. 1 H318, Aquatic Acute 1 H400 M=1
3.2. Mixtures. ontains: Identification. C12-C 15ALCOHOL ET CAS. 106232-83-1 EC INDEX FATTY ALCOHOL ETH	OXYLATED	9 - 25	Xn R22, Xi R41, N R50	Acute Tox. 4 H302, Eye Dam. 1 H318, Aquatic Acute 1 H400 M=1

INDEX. -

Reg. no. 01-2119513350-56-0003

Note: Upper limit is not included into the range.

Revision nr. 1

Dated 3/11/2014 Printed on 06/11/2014

PLUMATIC 1 COLOR

Page n. 3/9

The full wording of the Risk (R) and hazard (H) phrases is given in section 16 of the sheet. T + = Very Toxic(T+), T = Toxic(T), Xn = Harmful(Xn), C = Corrosive(C), Xi = Irritant(Xi), O = Oxidizing(O), E = Explosive(E), F + = ExtremelyFlammable(F+), F = Highly Flammable(F), N = Dangerous for the Environment(N)

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Revision nr. 1

Dated 3/11/2014 Printed on 06/11/2014

PLUMATIC 1 COLOR

Page n. 4/9

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in

compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Information not available.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

Revision nr. 1

Dated 3/11/2014 Printed on 06/11/2014

PLUMATIC 1 COLOR

Page n. 5/9

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance Colour Odour Odour threshold. pH. Melting point / freezing point. Initial boiling point. Boiling range. Flash point. Evaporation Rate Flammability of solids and gases Lower inflammability limit. Upper inflammability limit. Lower explosive limit. Upper explosive limit. Upper explosive limit. Vapour pressure. Vapour density Relative density. Solubility Partition coefficient: n-octanol/water Auto-ignition temperature.	liquid TURCHESE BLUE freshly laundered note Not available. 9,60 +/- 0,50 Not available. Not available.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature. Decomposition temperature.	Not available. Not available.
Viscosity	Not available. Not available.
Explosive properties Oxidising properties	Not available.

9.2. Other information.

Information not available.

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

PLUMATIC 1 COLOR

Revision nr. 1

Dated 3/11/2014

Printed on 06/11/2014 Page n. 6/9

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product. This product may cause serious ocular lesions, cornea opacity, iris lesions, irreversible eye coloration.

SECTION 12. Ecological information.

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil, sewers and waterways. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

12.1. Toxicity.

C12-C 15ALCOHOL ETHOXYLATES >6-9 EO EC50 - for Crustacea. 0,11 mg/l/48h

12.2. Persistence and degradability.

Information not available.

12.3. Bioaccumulative potential.

Information not available.

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

Revision nr. 1

Dated 3/11/2014

Printed on 06/11/2014

PLUMATIC 1 COLOR

Page n. 7/9

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Avoid littering. Do not contaminate soil, sewers and waterways.

CONTAMINĂTED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

None.

3

Seveso category.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

Product. Point.

Substances in Candidate List (Art. 59 REACH).

None.

Substances subject to authorisarion (Annex XIV REACH).

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Healthcare controls.

Revision nr. 1 Dated 3/11/2014

Page n. 8/9

PLUMATIC 1 COLOR

Printed on 06/11/2014

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Ingredients according to Regulation (EC) No 648/2004

less than 5 % phosphonates

15 % or over but less than 30 % non-ionic surfactants

optical brighteners

Geraniol, Limonene, perfumes

preservation agents : 1,2-benzisotiazol-3(2H)-one / 2-metil-2H-isotiazol-3-one

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4	Acute toxicity, category 4
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.

Text of risk (R) phrases mentioned in section 2-3 of the sheet:

R22	HARMFUL IF SWALLOWED.
R36	IRRITATING TO EYES.
R41	RISK OF SERIOUS DAMAGE TO EYES.
R50	VERY TOXIC TO AQUATIC ORGANISMS.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road

- CAS NUMBER: Chemical Abstract Service Number

- CE50: Effective concentration (required to induce a 50% effect)

- CE NUMBER: Identifier in ESIS (European archive of existing substances)

- CLP: EC Regulation 1272/2008

- DNEL: Derived No Effect Level - EmS: Emergency Schedule

- GHS: Globally Harmonized System of classification and labeling of chemicals

- IATA DGR: International Air Transport Association Dangerous Goods Regulation

- IC50: Immobilization Concentration 50%

- IMDG: International Maritime Code for dangerous goods

Revision nr. 1 Dated 3/11/2014

PLUMATIC 1 COLOR

Printed on 06/11/2014 Page n. 9/9

- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).
- GENERAL BIBLIOGRAPHY
- 1. Directive 1999/45/EC and following amendments
- 2. Directive 67/548/EEC and following amendments and adjustments
- 3. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 4. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 5. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- Regulation (EC) 453/2010 of the European Parliament
 Regulation (EC) 286/2011 (II Atp. CLP) of the European Parliament
 Regulation (EC) 618/2012 (III Atp. CLP) of the European Parliament
- 9. The Merck Index. 10th Edition
- 10. Handling Chemical Safety
- 11. Niosh Registry of Toxic Effects of Chemical Substances
- 12. INRS Fiche Toxicologique (toxicological sheet)
- 13. Patty Industrial Hygiene and Toxicology
- 14. N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- 15. ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review: The following sections were modified:

02 / 05 / 07 / 11 / 12.