AR-CO CI	HIMICA S.R.L.	Revision nr. 1		
		Dated 21/10/2014		
PLU	MATIC 4	Printed on 21/10/2014		
		Page n. 1/9		
	Safety data sheet			
	Callery data check			
SECTION 1. Identification of the subs	stance/mixture and of the company/under	taking		
1.1. Product identifier				
Product name	PLUMATIC 4			
1.2. Relevant identified uses of the substance or m				
Intended use DETERGENT ONLY F LIQUID SOFTENER	OR INDUSTRIAL / PROFESSIONAL USING			
1.3. Details of the supplier of the safety data sheet				
Name	AR-CO CHIMICA S.R.L.			
Full address     Via Canalazzo 22/24       District and Country     41036 MEDOLLA (MO)				
	Tel. +39 053558890 Fax +39 053558898			
e-mail address of the competent person	1 ax +00 00000000			
responsible for the Safety Data Sheet	reach@arcochimica.it			
Product distribution by	AR-CO CHIMICA			
1.4. Emergency telephone number For urgent inquiries refer to	Numeri telefonici dei principali Centri Antiveleni italiani	( attivi 24/24 ara)Cantra		
Tor argent inquires relet to	Antiveleni di Milano 02 66101029 (CAV Ospedale Niguar	da Ca` Granda -Milano)		
	(H24)Centro Antiveleni di Pavia 0382 24444 (CAV IRCCS Pavia)Centro Antiveleni di Bergamo 800 883300 (CAV O	spedali Riuniti -		
	Bergamo)Centro Antiveleni di Firenze 055 7947819 (CAV Firenze)Centro Antiveleni di Roma 06 3054343 (CAV Po			
	Antiveleni di Roma 06 49978000 (CAV Policlinico Umbe Napoli 081 7472870 (CAV Ospedale Cardarelli - Napoli)A	rto I - Roma)Centro Antiveleni di		
	ORE UFFICIO / OFFICE HOURS 08:00-12:30 / 14:00-17:3			
SECTION 2. Hazards identification.				
2.1. Classification of the substance or mixture.				

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to EC Regulation 1907/2006 and subsequent amendments.

### 2.1.1. Regulation 1272/2008 (CLP) and following amendments and adjustments.

Hazard classification and indication:

### 2.2. Label elements.

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:	
Signal words:	
Hazard statements:	

				Revision nr. 1 Dated 21/10/2014	
				Printed on 21/10/2014	
PLUMATIC 4				Page n. 2/9	
Precautionary					
statements:					
Safety data sheet available for professional users on re	quest.				
2.3. Other hazards.					
Information not available.					
SECTION 3. Composition/informatio	n on ingredie	nts.			
3.1. Substances.					
Information not relevant.					
3.2. Mixtures.					
Contains:					
Identification. TEAestere quat-ME2SO4 C10-20C16-18	Conc. %.	Classification 67/548/EEC.	Classif	cation 1272/2008 (CLP).	
CAS. 91995-81-2 EC. 295-344-3	1 - 5	Xi R38	Skin Irrit. 2	H315	
INDEX					
Reg. no. 01-2119463889-16-0002					
DIPROPYLENE GLYCOL MONOMETHYL ETHER					
CAS. 34590-94-8	1 - 5		Substance limit.	with a community workplace exposure	
EC. 252-104-2					
INDEX					
Reg. no. 01 2119450011-60					
Note: Upper limit is not included into the range.					
The full wording of the Risk (R) and hazard (H) phrases is given in section 16 of the sheet. T+ = Very Toxic(T+), T = Toxic(T), Xn = Harmful(Xn), C = Corrosive(C), Xi = Irritant(Xi), O = Oxidizing(O), E = Explosive(E), F+ = Extremely Flammable(F+), F = Highly Flammable(F), N = Dangerous for the Environment(N)					

# **SECTION 4. First aid measures.**

### 4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately. INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances, see chap. 11.

AR-CO CHIMICA S.R.L.	Revision nr. 1 Dated 21/10/2014
PLUMATIC 4	Printed on 21/10/2014

Page n. 3/9

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

### **SECTION 5. Firefighting measures.**

#### 5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

### 5.2. Special hazards arising from the substance or mixture.

#### HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

#### 5.3. Advice for firefighters.

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### **SECTION 6.** Accidental release measures.

#### 6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

### SECTION 7. Handling and storage.

AR-CO CHIMICA S.R.L.	Revision nr. 1
	Dated 21/10/2014
PLUMATIC 4	Printed on 21/10/2014
	Page n. 4/9

#### 7.1. Precautions for safe handling.

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. When performing transfer operations involving large containers, connect to an earthing system and wear antistatic footwear. Vigorous stirring and flow through the tubes and equipment may cause the formation and accumulation of electrostatic charges. In order to avoid the risk of fires and explosions, never use compressed air when handling. Open containers with caution as they may be pressurised. Do not eat, drink or smoke during use. Avoid leakage of the product into the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Store in a well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s).

Information not available.

### **SECTION 8. Exposure controls/personal protection.**

#### 8.1. Control parameters.

Regulatory References:

United Kingdom	EH40/2005 Workplace exposure limits. Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations (as
	amended).
Éire	Code of Practice Chemical Agent Regulations 2011.
OEL EU	Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive
	2000/39/EC.
TLV-ACGIH	ACGIH 2012

### DIPROPYLENE GLYCOL MONOMETHYL ETHER

Threshold Limit Value.						
Туре	Country	TWA/8h		STEL/15min		
		mg/m3	ppm	mg/m3	ppm	
TLV-ACGIH		606	100	909 (C)	150 (C)	
OEL	IRL	308	50			SKIN
OEL	EU	308	50			SKIN
WEL	UK	308	50			SKIN

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

#### 8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

### HAND PROTECTION

AR-CO CHIMICA S.R.L.	Revision nr. 1
	Dated 21/10/2014
PLUMATIC 4	Printed on 21/10/2014
	Page n. 5/9

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## **SECTION 9.** Physical and chemical properties.

#### 9.1. Information on basic physical and chemical properties.

Appearance	viscous liquid
Colour	light blue
Odour	BOUQUET
Odour threshold.	Not available.
pH.	4,50 +/- 0,50
Melting point / freezing point.	Not available.
Initial boiling point.	Not available.
Boiling range.	Not available.
Flash point.	Not available.
Evaporation Rate	Not available.
Flammability of solids and gases	Not available.
Lower inflammability limit.	Not available.
Upper inflammability limit.	Not available.
Lower explosive limit.	Not available.
Upper explosive limit.	Not available.
Vapour pressure.	Not available.
Vapour density	Not available.
Relative density.	0,965 +/- 0,025
Solubility	IN ALL PROPORTIONS
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature.	Not available.
Decomposition temperature.	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	Not available.

#### 9.2. Other information.

Information not available.

### **SECTION 10.** Stability and reactivity.

10.1. Reactivity.

# AR-CO CHIMICA S.R.L.

# Revision nr. 1

Dated 21/10/2014

# **PLUMATIC 4**

Printed on 21/10/2014 Page n. 6/9

There are no particular risks of reaction with other substances in normal conditions of use.

DIPROPYLENE GLYCOL MONOMETHYL ETHER: may react with oxidising agents. When heated to decomposition it releases harsh and irritating fumes and vapours.

## 10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

## 10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

## 10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

## 10.5. Incompatible materials.

Information not available.

## 10.6. Hazardous decomposition products.

Information not available.

# **SECTION 11. Toxicological information.**

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled carefully according to good industrial practices. This product may have slight health effects on sensitive people, by inhalation and/or cutaneous absorption and/or contact with eyes and/or ingestion.

## 11.1. Information on toxicological effects.

## Information not available.

# **SECTION 12. Ecological information.**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

**12.1. Toxicity.** Information not available.

## 12.2. Persistence and degradability.

Information not available.

## 12.3. Bioaccumulative potential.

Information not available.

12.4. Mobility in soil.

# **AR-CO CHIMICA S.R.L.**

Revision nr. 1

Dated 21/10/2014 Printed on 21/10/2014

# **PLUMATIC 4**

Page n. 7/9

Information not available.

### 12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%. **12.6. Other adverse effects.** 

Information not available.

# **SECTION 13.** Disposal considerations.

### 13.1. Waste treatment methods.

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Avoid littering. Do not contaminate soil, sewers and waterways. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

# **SECTION 14. Transport information.**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

# **SECTION 15. Regulatory information.**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso category. None.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

None.

Substances in Candidate List (Art. 59 REACH).

None.

Substances subject to authorisarion (Annex XIV REACH).

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

# **AR-CO CHIMICA S.R.L.**

Revision nr. 1 Dated 21/10/2014

# **PLUMATIC 4**

Printed on 21/10/2014 Page n. 8/9

None.

Healthcare controls.

Information not available.

Ingredients according to Regulation (EC) No 648/2004

less than 5 % cationic surfactants

optical brighteners

perfumes, Alpha-Isomethyl Ionone, Benzyl Salicilate, Butylphenyl Methylpropional, Citronellol, Coumarin, Hexyl Cinnamaldehyde, Linalool

preservation agents : 1,2-benzisotiazol-3(2H)-one / 2-metil-2H-isotiazol-3-one

### 15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

**SECTION 16.** Other information. H315

Causes skin irritation.

Text of risk (R) phrases mentioned in section 2-3 of the sheet:

R38

**IRRITATING TO SKIN.** 

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50% LD50: Lethal dose 50%
- **OEL: Occupational Exposure Level**
- PBT: Persistent bioaccumulative and toxic as REACH Regulation PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

### Revision nr. 1 **AR-CO CHIMICA S.R.L.** Dated 21/10/2014 Printed on 21/10/2014 **PLUMATIC 4** Page n. 9/9

GENERAL BIBLIOGRAPHY

- 1. Directive 1999/45/EC and following amendments
- Directive 1959/48/EEC and following amendments and adjustments
   Regulation (EC) 1907/2006 (REACH) of the European Parliament
   Regulation (EC) 1272/2008 (CLP) of the European Parliament

- Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
   Regulation (EC) 453/2010 of the European Parliament
- 7. Regulation (EC) 286/2011 (II Atp. CLP) of the European Parliament
- 8. Regulation (EC) 618/2012 (III Atp. CLP) of the European Parliament
- 9. The Merck Index. 10th Edition
- Handling Chemical Safety
   Niosh Registry of Toxic Effects of Chemical Substances
- 12. INRS Fiche Toxicologique (toxicological sheet)
- 13. Patty Industrial Hygiene and Toxicology
- 14. N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- 15. ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review: The following sections were modified:

02 / 05 / 07 / 16.