AR-CO CI	HIMICA S.R.L.	Revision nr. 1
		Dated 19/2/2015
TE	ECNIK	Printed on 14/05/2015
		Page n. 1/10
	Safety data sheet	
SECTION 1. Identification of the subs	stance/mixture and of the company/unde	rtaking
1.1. Product identifier Product name	TECNIK	
	nixture and uses advised against FOR INDUSTRIAL/PROFESSIONAL USE. FGREASER DETERGENT.	
1.3. Details of the supplier of the safety data sheet Name Full address District and Country	AR-CO CHIMICA S.R.L. Via Canalazzo 22/24 41036 MEDOLLA (MO) ITALY Tel. +39 053558890	
	Fax +39 053558898	
e-mail address of the competent person		
responsible for the Safety Data Sheet Product distribution by	reach@arcochimica.it AR-CO CHIMICA	
1.4. Emergency telephone number For urgent inquiries refer to	Numeri telefonici dei principali Centri Antiveleni italian Centro Antiveleni di Milano 02 66101029 (CAV Ospedal (H24) Centro Antiveleni di Pavia 0382 24444 (CAV IRCCS Fon Centro Antiveleni di Bergamo 800 883300 (CAV Ospeda Centro Antiveleni di Firenze 055 7947819 (CAV Ospeda Centro Antiveleni di Firenze 055 7947819 (CAV Ospeda Centro Antiveleni di Roma 06 3054343 (CAV Policlinico Centro Antiveleni di Roma 06 49978000 (CAV Policlinic Centro Antiveleni di Napoli 081 7472870 (CAV Ospedal AR-CO CHIMICA +39 053558890 (ORE UFFICIO / OFFICE HOURS 08:00-	e Niguarda Ca` Granda -Milano) dazione Maugeri - Pavia) ali Riuniti - Bergamo) le Careggi - Firenze) · Gemelli - Roma) o Umberto I - Roma) e Cardarelli - Napoli)

SECTION 2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

2.1.1. Regulation 1272/2008 (CLP) and following amendments and adjustments.

Hazard classification and indication:	
Eye Dam. 1	H318
Skin Irrit. 2	H315

2.1.2. 67/548/EEC and 1999/45/EC Directives and following amendments and adjustments. Danger Symbols:

AR-CO CHIMICA S.R.L. TECNIK	Revision nr. 1 Dated 19/2/2015 Printed on 14/05/2015 Page n. 2/10
R phrases:	
2.2. Label elements.	
Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplement	ts.

Hazard pictograms:



Signal words:

Hazard statements:

Danger

Precautionary statements:

P264 P280 P302+P352 P310	Wash thoroughly after handling. Wear protective gloves / protective clothing / eye protection / face protection. IF ON SKIN: wash with plenty of soap and water. Immediately call a POISON CENTER or doctor.				
Contains:	Benzenesulfonic acid,C10-13-alkyl derivates sodium salt				
2.3. Other hazards.					

Information not available.

SECTION 3. Composition/information on ingredients.

3.1. Substances.

Information not relevant.

3.2. Mixtures.

Contains:

Identification. PENTABASIC SODIUM TRIPHOSPHATE	Conc. %.	Classification 67/548/EEC.	Classification 1272/2008 (CLP).
CAS. 7758-29-4	1 - 5	Xi R36/37/38	Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335
EC. 231-838-7			1000
INDEX			
Reg. no. 01-2119430450-54			
Benzenesulfonic acid,C10-13-alkyl derivates sodium salt CAS. 68411-30-3	1 - 5	Xn R22, Xi R38, Xi R41	Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315

A	Revision nr. 1 Dated 19/2/2015		
	Printed on 14/05/2015 Page n. 3/10		
EC. 270-115-0 INDEX			
Reg. no. 01-2119489428-22-XXXX			
COCOA FATTY ACIDS, POTASSIUM	SALTS		
CAS. 61789-30-8 EC. 263-049-9	1 - 5	Xi R36/38	Eye Irrit. 2 H319, Skin Irrit. 2 H315
INDEX			
DIPROPYLENE GLYCOL MONOMETH	IYL ETHER		
CAS. 34590-94-8	0,5 - 1		
EC. 252-104-2			
INDEX			
Reg. no. 01 2119450011-60			
ETHANOLAMINE			
CAS. 141-43-5	0 - 0,5	C R34, Xn R20/21/22	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, STOT SE 3 H335
EC. 205-483-3			+ 11032, 3km COIL 10 11314, 31 CT 3E 3 F1333
INDEX. 603-030-00-8			
Reg. no. 01-2119486455-28-0000			

Note: Upper limit is not included into the range.

The full wording of the Risk (R) and hazard (H) phrases is given in section 16 of the sheet. T+ = Very Toxic(T+), T = Toxic(T), Xn = Harmful(Xn), C = Corrosive(C), Xi = Irritant(Xi), O = Oxidizing(O), E = Explosive(E), F+ = Extremely Flammable(F+), F = Highly Flammable(F), N = Dangerous for the Environment(N)

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention. INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak. UNSUITABLE EXTINGUISHING EQUIPMENT

	Revision nr. 1 Dated 19/2/2015
IECNIK	Printed on 14/05/2015 Page n. 4/10

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

AR-CO CHIMICA S.R.L.	Revision nr. 1
	Dated 19/2/2015
TECNIK	Printed on 14/05/2015

Page n. 5/10

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Regulatory References:

United Kingdom	EH40/2005 Workplace exposure limits. Containing the list of workplace exposure
	limits for use with the Control of Substances Hazardous to Health Regulations (as
	amended).
Éire	Code of Practice Chemical Agent Regulations 2011.
OEL EU	Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive
	2000/39/EC.
TLV-ACGIH	ACGIH 2012

ETHANOLAMINE

	Threshold Limit Value.						
	Туре	Country	TWA/8h		STEL/15min		
			mg/m3	ppm	mg/m3	ppm	
ľ	TLV-ACGIH		7,5	3	15	6	
	OEL	EU	2,5	1	7,6	3	SKIN
	OEL	IRL	2,5	1	7,6	3	SKIN
	WEL	UK	2,5	1	7,6	3	SKIN
I							

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Threshold Limit Value.						
Туре	Country	TWA/8h		STEL/15min		
		mg/m3	ppm	mg/m3	ppm	
TLV-ACGIH		606	100	909	150	SKIN
OEL	EU	308	50			SKIN
OEL	IRL	308	50			SKIN
WEL	UK	308	50			SKIN
	Type TLV-ACGIH OEL OEL	TypeCountryTLV-ACGIHOELOELIRL	Type Country TWA/8h mg/m3 7LV-ACGIH 606 OEL EU 308 OEL IRL 308	Type Country TWA/8h mg/m3 ppm TLV-ACGIH 606 100 OEL EU 308 50 OEL IRL 308 50	Type Country TWA/8h STEL/15min mg/m3 ppm mg/m3 TLV-ACGIH 606 100 909 OEL EU 308 50 - OEL IRL 308 50 -	Type Country TWA/8h STEL/15min mg/m3 ppm mg/m3 ppm TLV-ACGIH 606 100 909 150 OEL EU 308 50

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

AR-CO CHIMICA S.R.L.	Revision nr. 1
	Dated 19/2/2015
TECNIK	Printed on 14/05/2015
	Page n. 6/10

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

pH. 8,2 Melting point / freezing point. No Initial boiling point. No Boiling range. No Flash point. No Evaporation Rate No Flammability of solids and gases No Lower inflammability limit. No Upper inflammability limit. No Upper explosive limit. No Vapour pressure. No Vapour density No Relative density. 1,0 Solubility IN Partition coefficient: n-octanol/water No Decomposition temperature. No Viscosity No	ot available. 20+/-0,50 ot available. ot available.
	ot available. ot available.

9.2. Other information.

Information not available.

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

AR-CO CHIMICA S.R.L.

Revision nr. 1

Dated 19/2/2015 Printed on 14/05/2015

TECNIK

Page n. 7/10

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product. This product may cause serious ocular lesions, cornea opacity, iris lesions, irreversible eye coloration. Acute effects: contact with skin may cause: irritation, erythema, edema, dryness and chapped skin. Ingestion may cause health disorders, including stomach pain and sting, nausea and sickness.

SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

12.1. Toxicity. Information not available.

12.2. Persistence and degradability.

Information not available.

12.3. Bioaccumulative potential.

Information not available.

AR-CO CHIMICA S.R.L.

Revision nr. 1

Dated 19/2/2015 Printed on 14/05/2015

TECNIK

Page n. 8/10

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%. **12.6. Other adverse effects.**

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso category. None.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

Product.

Point.

Substances in Candidate List (Art. 59 REACH).

None.

Substances subject to authorisarion (Annex XIV REACH).

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

3

None.

Substances subject to the Rotterdam Convention:

AR-CO CHIMICA S.R.L. Revision nr. 1 Dated 19/2/2015

TECNIK

Printed on 14/05/2015 Page n. 9/10

None.

Substances subject to the Stockholm Convention:

None.

Healthcare controls.

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Ingredients according to Regulation (EC) No 648/2004

less than 5 % phosphates, anionic surfactants, non-ionic surfactants, soap

perfumes, Hydroxycitronellal, Limonene

preservation agents: 1,2-benzisotiazol-3(2H)-one / 2-metil-2H-isotiazol-3-one

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.

Text of risk (R) phrases mentioned in section 2-3 of the sheet:

HARMFUL BY INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED.
HARMFUL IF SWALLOWED.
CAUSES BURNS.
IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.
IRRITATING TO EYES AND SKIN.

AR-CO CHIMICA S.R.L.		Revision nr. 1 Dated 19/2/2015	
TECNIK		Printed on 14/05/2015	
		Page n. 10/10	
R38	IRRITATING TO SKIN.		
R41	RISK OF SERIOUS DAMAGE TO EYES.		
CAS NUMBER CE50: Effective	n Agreement concerning the carriage of Dangerous goods by Road R: Chemical Abstract Service Number e concentration (required to induce a 50% effect) Identifier in ESIS (European archive of existing substances)		
CLP: EC Regu	Ilation 1272/2008 No Effect Level		
	ncy Schedule Harmonized System of classification and labeling of chemicals ernational Air Transport Association Dangerous Goods Regulation		
IMDG: Internat	zation Concentration 50% tional Maritime Code for dangerous goods		
INDEX NUMBE	onal Maritime Organization ER: Identifier in Annex VI of CLP Concentration 50%		
LD50: Lethal d	lose 50%		
	ional Exposure Level t bioaccumulative and toxic as REACH Regulation		
PEC: Predicted	d environmental Concentration		
	d exposure level ed no effect concentration		
	egulation 1907/2006		
	n concerning the international transport of dangerous goods by train		
	Concentration that should not be exceeded during any time of occupational exposure. hort-term exposure limit		
TWA: Time-we	eighted average exposure limit		
	organic Compounds rsistent and very Bioaccumulative as for REACH Regulation		
	azard classes (German).		
	LOGRAPHY 9/45/EC and following amendments 548/EEC and following amendments and adjustments		
 Regulation (E Regulation (E 	C) 1907/2006 (REACH) of the European Parliament C) 1272/2008 (CLP) of the European Parliament		
 Regulation (E 	C) 790/2009 (I Atp. CLP) of the European Parliament C) 453/2010 of the European Parliament C) 286/2011 (II Atp. CLP) of the European Parliament		
 Regulation (E The Merck Ind 	C) 618/2012 (III Atp. CLP) of the European Parliament dex 10th Edition		
	istry of Toxic Effects of Chemical Substances		
	e Toxicologique (toxicological sheet) strial Hygiene and Toxicology		
14. N.I. Sax - Da	angerous properties of Industrial Materials-7, 1989 Edition		
 ECHA websi lote for users: 	ite		
	contained in the present sheet are based on our own knowledge on the date of the	last version. Users must verify the suitability and	

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property. The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.